SAFETY DATA SHEET

Capella

1. Identification

Product identifier	RF SWEET STRAWBERRY FLAVOR N&A TYPE	
Other means of identification		
Product code	CA-1382	
Recommended use	Use in accordance with supplier's recommendations.	
Recommended restrictions	No other uses are advised.	
Manufacturer/Importer/Supplier	Distributor information	
Manufacturer		
Company name Address	Capella Flavors, Inc. 1315 Hot Springs Way, Suite 112 Vista, CA 92081 United States	
Telephone	Office:	760 650-0200
Website	Fax:	n/a
E-mail	<u>www.capellaflavors.com</u> customerservice@capellaflavors.com	
Emergency phone number	CHEMTREC	800-424-9300
0 91	INTERNATIONAL	703-741-5970
2. Hazard(s) identification		
Physical hazards	Not classified.	
Health hazards	Sensitization, skin	Category 1A
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Signal word	Warning	
Hazard statement	May cause an allergic skin reaction.	
Precautionary statement		
Prevention	Contaminated work clothing must not be	allowed out of the workplace. Wear protective gloves.
Response	If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.	
Storage	Store away from incompatible materials.	
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	consists of component(s) of unknown ac	t(s) of unknown acute oral toxicity. 5% of the mixture cute dermal toxicity. 5% of the mixture consists of on toxicity. 5% of the mixture consists of component(s) of

5% of the mixture consists of component(s) of unknown acute oral toxicity. 5% of the mixture consists of component(s) of unknown acute dermal toxicity. 5% of the mixture consists of component(s) of unknown acute inhalation toxicity. 5% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 5% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
PROPYLENE GLYCOL	NOM	57-55-6	80 - < 90
NFI			

Material name: RF SWEET STRAWBERRY FLAVOR N&A TYPE CA-1382 Version #: 07 Revision date: 07-24-2019 Issue date: 02-15-2017

Chemical name	Common name and synonyms	CAS number	%
ETHYL ACETATE NAT NOP	#1029	141-78-6	1 - < 3
ETHYL BUTYRATE NOM	#71	105-54-4	1 - < 3
FURANEOL		3658-77-3	< 1
Other components below	reportable levels		5 - < 10

Other components below reportable levels

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
5. Fire-fighting measures	
Suitable extinguishing media	Alcohol resistant foam. Powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Use water spray to reduce vapors or divert vapor cloud drift.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	s for Air Contaminants (29 CFR 1910.1000) Type	Value	
ETHYL ACETATE NAT #1029 NOP (CAS 141-78-6)	PEL	1400 mg/m3	
		400 ppm	
US. ACGIH Threshold Lim	it Values		
Components	Туре	Value	
ETHYL ACETATE NAT #1029 NOP (CAS 141-78-6)	TWA	400 ppm	
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	
ETHYL ACETATE NAT #1029 NOP (CAS 141-78-6)	TWA	1400 mg/m3	
		400 ppm	
US. Workplace Environme	ental Exposure Level (WEEL) Guides		
Components	Туре	Value	Form
PROPYLENE GLYCOL NOM NFI (CAS 57-55-6)	TWA	10 mg/m3	Aerosol.
logical limit values	No biological exposure limits noted for the	ingredient(s).	
propriate engineering trols	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
ividual protection measure	s, such as personal protective equipment		
Eye/face protection	Face shield is recommended. Wear safety	glasses with side shields	s (or goggles).
Skin protection			
Hand protection	Wear appropriate chemical resistant glove	S.	
Other	Wear appropriate chemical resistant clothi	ng. Use of an impervious	apron is recommended.
Respiratory protection	In case of insufficient ventilation, wear suit	able respiratory equipme	nt.
Thermal hazards	Wear appropriate thermal protective clothi	ng, when necessary.	
neral hygiene siderations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of th workplace.		
Physical and chemica	l properties		
bearance			
Physical state	Liquid.		
Form	Liquid.		
Color	Not available.		
or and the second se	Not available		

Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	-74.2 °F (-59 °C) estimated
Initial boiling point and boiling range	370.76 °F (188.2 °C) estimated

Flash point	> 200.0 °F (> 93.3 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.17 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	700 °F (371.11 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Flammability class	Combustible IIIB estimated
Oxidizing properties	Not oxidizing.
Refractive index	1.4116 - 1.4416
Specific gravity	1.02 - 1.05
40 Stability and reactivity	

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	May cause an allergic skin reaction.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity	Not known.
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization		
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	May cause an allergic skin reaction.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	Not classifiable as to carcinogenicity to humans.	
IARC Monographs. Overall I	Evaluation of Carcinogenicity	
Not listed.		
	d Substances (29 CFR 1910.1001-1052)	
Not regulated.	ogram (NTP) Report on Carcinogens	
Not listed.		
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity -	Not classified.	
single exposure		
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may be harmful.	
12. Ecological information		
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.	
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.	
Bioaccumulative potential		
Partition coefficient n-octan		
-	029 NOP 0.73	
-	1 NOM 1.73 NOM NFI -0.92	
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	
13. Disposal consideration		
-		
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator. Dispose of contents/container in accordance with local/regional/national/international regulations.	
Local disposal regulations	Dispose in accordance with all applicable regulations.	
Hazardous waste code	D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel] The waste code should be assigned in discussion between the user, the producer and the waste disposal company.	
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.	
14. Transport information		
DOT		
Not regulated as dangerous g	oods.	
IATA		

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

15. Regulatory miormation	1	
US federal regulations	This product is a "Hazardous Chemic Standard, 29 CFR 1910.1200.	cal" as defined by the OSHA Hazard Communication
Toxic Substances Control A	ct (TSCA)	
TSCA Section 12(b) Exp	ort Notification (40 CFR 707, Subpt.	D)
Not regulated.		
CERCLA Hazardous Substa	nce List (40 CFR 302.4)	
ETHYL ACETATE NAT (CAS 141-78-6)	#1029 NOP Listed	J.
SARA 304 Emergency relea	se notification	
Not regulated. OSHA Specifically Regulate Not regulated.	d Substances (29 CFR 1910.1001-10	52)
Superfund Amendments and Re	authorization Act of 1986 (SARA)	
SARA 302 Extremely hazard	ous substance	
Not listed.		
SARA 311/312 Hazardous chemical	No (Exempt)	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations		
Clean Air Act (CAA) Section	112 Hazardous Air Pollutants (HAPs	s) List
Not regulated. Clean Air Act (CAA) Section	112(r) Accidental Release Preventic	on (40 CFR 68.130)
Not regulated.		
Safe Drinking Water Act (SDWA)	Not regulated.	
FEMA Priority Substand	es Respiratory Health and Safety in	the Flavor Manufacturing Workplace
ETHYL ACETATE N (CAS 141-78-6)	AT #1029 NOP Low	priority
US state regulations		
California Proposition 65		
	Vater and Toxic Enforcement Act of 19 by chemicals currently listed as carcino ww.P65Warnings.ca.gov.	
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Sub	stances (AICS) No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL) No	

Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	02-15-2017
Revision date	07-24-2019
Version #	07
Disclaimer	Capella Flavors, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.